



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE

BG0002072

SITENAME

Melnishki piramidi

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

1.1 Type A	1.2 Site code BG0002072
----------------------	-----------------------------------

1.3 Site name

Melnishki piramidi

1.4 First Compilation date 2005-10	1.5 Update date 2015-07
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Maria Luiza Blvd. 22 1000 Sofia
Email:	r.dimova@moew.government.bg

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2007-12
National legal reference of SPA designation	Site classified as SPA by Council of Ministers Decision No. 802/04.12.2007 (promulgated SG 107/2007).

Explanation(s):	Site classified as SPA by Council of Ministers Decision No. 802/04.12.2007 (promulgated SG 107/2007). Issued designation order by the Minister of Environment and Water with prohibitions and restrictions on activities contradicting the conservation objectives of the site – Order No. RD – 283/16.03.2010 (promulgated SG 29/2010).
------------------------	--

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

23.434722222222224

Latitude

41.504166666666667

2.2 Area [ha]:

13580.0516

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

BG41	Югозападен / Yugozapaden
------	--------------------------

2.6 Biogeographical Region(s)

Alpine (8.0%)

Continental (92.0%)

3. ECOLOGICAL INFORMATION

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

[Back to top](#)

Species					Population in the site						Site assessment			
Group	Code	Scientific Name	S	NP	Type	Size		Unit	Cat.	Data quality	A B C D			A B C
						Min	Max					C R V P		Pop.
B	A402	Accipiter brevipes			r	1	2	p		G	C	B	C	C
B	A085	Accipiter gentilis			p	1	1	p		G	C	B	C	C
B	A086	Accipiter nisus			p	2	2	p		G	C	B	C	C
B	A465	Alectoris graeca graeca			p	15	20	p		G	C	A	B	C
B	A255	Anthus campestris			r	25	30	p		G	C	A	C	B
B	A089	Aquila pomarina			r	1	2	p		G	C	B	C	C
B	A215	Bubo bubo			p	1	1	p		G	C	A	C	C
B	A087	Buteo buteo			p	3	3	p		G	C	B	C	C
B	A087	Buteo buteo			c				P	DD	C	B	C	C
B	A403	Buteo rufinus			p	3	4	p		G	C	B	C	B
B	A243	Calandrella brachydactyla			r	120	120	p		G	B	A	C	B
B	A224	Caprimulgus europaeus			c				P	DD	C	B	C	C
B	A224	Caprimulgus europaeus			r	18	20	p		G	C	B	C	C
B	A031	Ciconia ciconia			r	3	3	p		G	C	B	C	C
B	A080	Circaetus gallicus			r	2	3	p		G	C	A	C	C
B	A080	Circaetus gallicus			c				P	DD	C	A	C	C

N08	6.0
N19	12.0
N23	2.0
N15	8.0
N16	36.0
N06	1.0
N21	2.0
Total Habitat Cover	NaN

Other Site Characteristics

The Melnik Pyramids cover the territory around the town of Melnik to the south of the villages Gorna Sushitsa and Paskarevo and to the north of the villages Katuntsi and Kalimantsi. It is a hilly-ridge area with heavily indented relief, well outlined short slopes with different orientation, favouring active erosion processes. The climate is transitory Mediterranean. The area is characterized by a great variety of mosaic habitats with significant Mediterranean influence. Most of the area is covered by pastures and shrubs, as well as broadleaved forests of *Quercus pubescens*, *Quercus frainetto*, *Quercus cerris*, and *Carpinus orientalis*. The Oriental Hornbeam *Carpinus orientalis* prevails, often forming pure forest and scrub formations or associations with Mediterranean elements of Red Juniper *Juniperus oxycedris*, etc. Typical for the region are the evergreen shrub communities of *Phyllirea latifolia* with xerothermal grass vegetation. There are small compact patches of *Quercus coccifera* forests as well.

4.2 Quality and importance

The region of the Melnik Pyramids supports 113 breeding bird species, 12 of which are listed in the Red Data Book for Bulgaria (1985). Of the birds occurring there 49 species are of European conservation concern (SPEC) (BirdLife International, 2004), 19 of them being listed in category SPEC 2 and 30 in SPEC 3 as species threatened in Europe. The area provides suitable habitats for 32 species, included in Annex 2 of the Biodiversity Act, which need special conservation measures, of which 26 are listed also in Annex I of the Birds Directive. The site is of global importance as a representative example of the Mediterranean biome. Five biome-restricted species, typical for the Mediterranean biome, occur there ? Black-headed Bunting *Emberiza melanocephala*, Olive-tree Warbler *Hippolais olivetorum*, Black-eared Wheatear *Oenanthe hispanica*, Subalpine Warbler *Sylvia cantillans* and Sardinian Warbler *Sylvia melanocephala*. For the Calandra Lark *Melanocorypha calandra* the region of the Melnik Pyramids is one of the most important sites in Bulgaria on a European Union level, where the species breed. The site supports considerable populations of Honey Buzzard *Pernis apivorus*, Long-legged Buzzard *Buteo rufinus*, Greater Short-toed Lark *Calandrella brachydactyla*, Barred Warbler *Sylvia nisoria*, Olive-tree Warbler *Hippolais olivetorum*, Red-backed Shrike *Lanius collurio*, Woodlark *Lullula arborea* and Rufous-tailed Rock Thrush *Monticola saxatilis* on national level. In addition to the twelve species of birds of prey, which nest in the region, the raptors, which nests in Southern Pirin regularly, use the Melnik Pyramids as hunting area.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	A03		i
L	H		i
H	K01.01		i
M	G01.02		i
L	G02.10		i
M	L10		i
M	H06.01		i
L	G02		i
M	F03.01		i
M	E03.01		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
M	A01		i
H	A09		i
L	G02		i
M	G01.02		i
L	G02.10		i
M	E01.03		i

4.5 Documentation

Initial proposal and description of the site made by Dr. Petar Iankov - Bulgarian Society for the Protection of Birds, Bulgaria, 1111 Sofia, P.O.Box 50, phone (+359 2) 9715855, fax (+359 2) 9715856, www.bspb.org ; B. Nikolov - CEIE, 1303 Sofia, 17A "S.Vratchanski" Str., (+3592)9808497; Dr.P.Shurulinkov - Institute of Zoology, BAS, 1 "Tzar Osvoboditel" blvd., 1000 Sofia. Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). Documents: BDZP/BirdLife Balgariya. 2005. ?Nacionalna banka za ornitologichna informacia 1988-2005?, Balgarsko Druzhestvo za zastita na pticite; Botev, B. and Tz. Peshev, (eds). 1985. Red Data Book of Republic Bulgaria. 2: Animals.

Sofia: Bulgarian Academy of Science. (In Bulgarian.); MOSV. 2005. Arhiv na zastitenite teritorii v Bulgaria. Baza dannii (nepubl.); Petrov, C 1997b. Beliat shturkel (*Ciconia ciconia*) v Bulgaria. Prirodozashtitna poredica, Kniga 2, BDZP, Plovdiv.; Simeonov, S. 1986. Materiali vurhu razprostranieneto I gnezdovata biologija na chervenogushoto koprivarche (*Sylvia cantillans* (Pallas)) v Bulgaria. ? *Ekologia*, 19, 57-61.; Simeonov, S., T. Michev. 1985. Suvremenno razprostranenie I chislenost na buhala (*Bubo bubo*(L.)) v Bulgaria. ? *Ekologia*, 15, 60-65.; Vatev, I., P. Simeonov, T. Michev, B. Ivanov. 1980. Belochelata svrachka (*Lanius nubicus* Lichtenstein) ? gnezdiasht vid v Bulgaria. ? *Acta zoologica Bulgarica*, 15, 115-118.; BirdLife International. 2000. Threatened birds of the world. Barcelona and Cambridge, UK: Lynx Edicions and BirdLife International, 695pp. BirdLife International. 2004. Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: BirdLife International (BirdLife Conservation Series No. 12). 373pp.; BSPB/BirdLife International. 2005. World Bird Database ? Important Birds Areas. Bulgaria. Cambridge. (unpublished); Guidelines for evaluation of protected zones according, which include habitats for birds to art.7, par.3, under the art.6 par.1.3 and 1.4 of the Biodiversity Act. 2005. (In Bulgarian.); Kostadinova, I., M. Mihailov, (comp.) 2002. Guide for NATURA 2000 in Bulgaria. BSPB nature conservation series No5. BSPB, Sofia, 80pp. (In Bulgarian.); Kostadinova, I. 2005. Application of C criteria for Identification of Important Bird Areas of European Union importance in Bulgaria. Preliminary implementation and analysis of the gaps. ? In: Petrova, A. (ed.), Current state of Bulgarian biodiversity ? problems and perspectives. Pp. 533-548. Bulgarian Bioplatform, Sofia Kouzmanov, G. 1996. L`Aigle pomarin *Aquila pomarina* en Bulgarie. ? In: Meyburg, B.-U. & R. D. Chancellor eds. Eagle Studies. World Working Group on Birds of Prey (WWGBP), Berlin, London & Paris, 319-326.; Michev, T., Tz. Petrov, L. Profirov. 1989. Status, breeding, distribution, numbers and conservation of the White Stork in Bulgaria; MOEW. 1998. CORINE Biotopes Database of the sites of European Importance for the biodiversity. Bulgaria, MOSV (nepubl.); Osieck, E. 2000 Filling in the requirements of the EU Birds Directive: Lessons from the ?Dutch Case??. In: European IBA Workshop. 29 March - 2 April 2000, Brussels, Belgium. Proceedings. BirdLife International, 86-99; Simeonov, S. 1970. Uber die Verbreitung mediterraner Vogelarten in Bulgarien. ? *Die Vogelwelt*, 91, 2, 59-67. Waliczky, Z. 2000 ?Important Bird Areas of European Union Importance: explanation of the EU Criteria applied in IBA 2000? In: European IBA Workshop. 29 March - 2 April 2000, Brussels, Belgium. Proceedings. BirdLife International, 12-16

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0002072&siteType=BirdsDirective>

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG03	9.0	BG00	91.0		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG03	MELNIK PYRAMIDS	+	9.0

5.3 Site designation (optional)

There is only one protected area on the site's territory ? Melnik pyramids? Nature Monument. It was designated in 1978, covers 8.5% of the site area and protects unique sandstone forms. In 1998 CORINE Site with the same name was designated because of its European value for rare and threatened habitats, plant and animal species, including birds. It covers 16.5% of the territory. In 2005 the site was designated also as Important Bird Area by BirdLife International.

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Regional Inspectorate of Environment and Water -Blagoevgrad; Forestry Departments - Katuntsi, Petrich, Sandanski;
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).